



Facade & Terrace Oil

Protective oil for wooden
facades and terraces
renew wood color



Creates a natural
bright color of the wood

Scan the QR code for more information



ADVANTAGES OF THE MATERIAL

1 coat oil impregnates, protects and renew any wooden surfaces

1

Disguises grayed wood without resurfacing

2

Harden inside the tree, not on the surface

3



4

For **horizontal and vertical** exterior surfaces

5

UV resistant, water-repellent coating

6

Ensures hard-wearing, dirt and water-repellent coating

PROPERTIES OF MATERIALS

- Impregnates the wood, maintains its natural moisture, prevents it from drying out;
- Makes the treated surface water-repellent;
- Without cracking, flaking off, washing out later;
- Protects the coating from mold, prevents its further occurrence;
- Suitable for new, old or previously oiled wood;
- Enhances the natural beauty and texture of the wood;
- Economical coating, saves time and money for a full cycle of work;
- For exterior use.

Packing unit:

0,75 L
2,5 L

Coverage m²/L / 1 coat application depending on wood type:

▸ **On hardwood:** 18 m² / L;
13,5 m² / 0,75 L;
45 m² / 2,5 L.

▸ **On softwood :** 12 m² / L;
9 m² / 0,75 L;
30 m² / 2,5 L.

Where to use

The perfect solution for protecting and transforming smooth and rough wood facades, decking, garden furniture, windows and doors, fences and more

Type of surface

Suitable for new, old wooden surfaces, fiberboard.

Visual effect

Natural / natural wood. Color oil with a satin gloss.

- ▶ **On a new, previously untinted wood:** creates a satin finish with a slight golden tint on the surface. On very light woods, such as pine, the color may be deeper, lemon-gold.
- ▶ **On a non-tinted, grayed wood:** a transparent lemon-color finish perfectly disguises the grayed wood (in 1 season, the time of shrinkage of a house from a bar), **restores its original natural tone in 1 coat, without preliminary sanding!**
- ▶ **On tinted wood:** enhances the color of tinted wood, making it deeper.



Natural

SKU / code number:

0,75 L - 350047

2,5 L - 350048

