

TEAK OIL



For protect and restore hardwood such as teak, mahogany, etc.

Also suitable for softwoods



Scan the QR code for more information



ADVANTAGES OF THE MATERIAL



1

Prepared to protect and restore hardwood such as teak, mahogany, etc.

2

Also suitable for softwoods

3

Water repellent, protects wood even on yachts above the waterline

4

Nourishes and revives, gives the wood more beautiful look and brightness

PROPERTIES OF MATERIALS

- UV resistant and waterproof, protects wood, even on yachts above the waterline;
- Water repellent, protects wood, even on yachts above the waterline;
- Penetrates deeply into the wood surface by feeding into the core of the timber, protecting the surface from within;
- Salt water resistant coating;
- Easy maintenance and partially restore;
- Protection against mold, rotting, shape changes, swelling or cracking of wood;
- Nourishes and revives, impregnates the wood, prevents it from drying out;
- Creates a warm, bright color of an rich handmade finish;
- Without cracking, flaking off;
- For exterior use.

Packaging Size:

0,75 L;
2,5 L.

Coverage m²/L / 1 coat application depending on wood type:

▸ **On hardwood:** 18 m² / L
13,5 m² / 0,75 L
45 m² / 2,5 L

▸ **On softwood:** 12 m² / L
9 m² / 0,75 L
30 m² / 2,5 L

Number of Coats: 1-2 coats, depends wood type

Where to use

For exterior wood:

- garden furniture;
- wood facades;
- summer houses;
- decking;
- windows and doors;
- fences;
- suitable for all exterior wood of boats and yachts above the waterline.

Type of surface

- ▶ For new, old or pressed wooden surfaces.
- ▶ For all types of wood, including exotic.

Visual effect

Color: Clear transparent Natural look.

Gloss: Satin sheen.

Enhances the grain and texture of wood.

- ▶ **On a new, previously untinted wood:** creates a satin finish with a slight golden tint on the surface. With very light color woods such as pine, dries to more deep caramel finish.
- ▶ **On tinted wood:** makes the color of tinted wood deeper, brighter.



Clear

SKU / code number

0,75 L - 350043

2,5 L - 350044

